

### EU-Declaration of Performance

*In accordance with Annex III of Regulation (EU) No. 305/2011  
(Construction Product Regulation)*

For the product “**MasterTop P 615**”  
**N°: 161501**

1. Unique identification of the product-type:  
**EN 13813: 2002: SR-B1.5-AR1-IR4**
2. Type, batch or serial number or other identifying mark to identify the construction product as set out in Article 11 (4):  
**Batch number: See product label under “Lot”**
3. Intended use as foreseen by the manufacturer of the construction product in accordance with the harmonised technical specification:  
**EN 13813: synthetic resin for internal uses**  
A solvent free, sand broadcasting free, 2K epoxy resin based primer  
for oil contaminated substrates
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as set out in Article 11 (5):  
**BASF Construction Chemicals Europe AG**  
**Industriestrasse 26**  
**CH-8207 Schaffhausen**
5. When applicable, the name and contact address of the authorized representative who has received a mandate for the tasks set out in Article 12(2):  
**Not relevant**
6. System or systems for assessment and verification of constancy of performance of the construction product in accordance with Annex V:  
**System 4**  
**System 3 for the fire behavior**  
**System 1 for German Technical Assessment – Emission**
7. In the case of a declaration of performance concerning a construction product that is covered by a harmonized standard:  
**Prüfinstitut Hoch**  
**Lerchenweg 1**  
**D-97650 Fladungen**  
**(CE identification number: 1508)**

Tested the fire behaviour (DIN EN ISO 9239-1, 11925-2, 13501-1) according to System 3:

**Test reports Nr: KB Hoch 120258-120259**  
**Classification report: KB Hoch 120260**

**DIBt**  
**Deutsches Institut für Bautechnik**  
**Kolonnenstrasse 30B**  
**D-10829 Berlin**  
**German Technical Assessment Nr: Z-156.605-685**

Notified Body:  
**TÜV Rheinland LGA Products GmbH**  
**Tillystrasse 2**  
**D-90431 Nürnberg**  
**(CE identification number: 0197)**

The notified body has carried out initial inspection of the products and factory production control as well as continuous surveillance, assessment and evaluation of factory production control concerning emissions (EN 13813: 2003-1) according to system 1 and issued the following:

**Certificate of constancy of performance concerning the emissions:**  
**QIWQ-UOP-000142-1**

8. In case of a declaration of performance concerning a construction product for which a European Technical Assessment was issued:  
**Not relevant**
9. Declared performance:  
Performance determined in System build-up **MasterTop 1324**

<b>Essential characteristics</b>	<b>Performance</b>	<b>Harmonized technical specification</b>
<b>Fire classification</b>	Bfl-s1	EN 13813: 2002
<b>Release of corrosive substances</b>	SR	EN 13813: 2002
<b>Water permeability</b>	NPD	EN 13813: 2002
<b>Wear resistance</b>	< AR 1	EN 13813: 2002
<b>Bond strength</b>	> B 1,5	EN 13813: 2002
<b>Impact resistance</b>	> IR 4	EN 13813: 2002
<b>Impact sound insulation</b>	NPD	EN 13813: 2002
<b>Sound absorption</b>	NPD	EN 13813: 2002
<b>Heat insulation</b>	NPD	EN 13813: 2002
<b>Chemical resistance</b>	NPD	EN 13813: 2002
<b>Slip resistance</b>	R9 / R10	DIN 51130: 2010-10
<b>Emissions behavior</b>	Z-156.605-685	EN 13813: 2003-1

**NPD: No Performance Determined**

When specific technical documentation in accordance with Articles 37 and 38 was used, the requirements that the product fulfills:

**Not applicable**

10. The performance of the product set out in numbers 1 and 2 corresponds to the declared performance set out in number 9. The manufacturer as defined in number 4 is solely responsible for drawing up this declaration of performance.

Signed for the manufacturer and in the name of the manufacturer by:



Daniel Nan  
Product manager  
Performance Flooring Europe



Gwénaél Jan  
Product manager  
Performance Flooring Europe

Schaffhausen, 09.10.2013

**Attachments:**

Technical data sheets for use in buildings (system build-ups according to respective technical data sheets)

German Technical Assessment Z-156.605-685