



The Chemical Company

EU-Declaration of Performance

*In accordance with Annex III of Regulation (EU) No. 305/2011
(Construction Product Regulation)*

For the product "**MASTERTOP BC 372**"
N°: 237203

1. Unique identification of the product-type:
EN 13813: 2002: SR-B1,5-AR1-IR4
2. Type, batch or serial number or other identifying mark to identify the construction product as set out in Article 11 (4):
Batch number: See product label under "Lot"
3. Intended use as foreseen by the manufacturer of the construction product in accordance with the harmonised technical specification:
EN 13813: synthetic resin for internal uses:

2K, solvent free, low emissions, self-leveling epoxy resin based body coat
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as set out in Article 11 (5):

BASF Construction Chemicals Europe AG
Industriestrasse 26
CH-8207 Schaffhausen
5. When applicable, the name and contact address of the authorized representative who has received a mandate for the tasks set out in Article 12(2):
Not relevant
6. System or systems for assessment and verification of constancy of performance of the construction product in accordance with Annex V:
System 4
System 3 for the fire behavior and emissions behavior
7. In the case of a declaration of performance concerning a construction product that is covered by a harmonized standard:
Prüfinstitut Hoch
Lerchenweg 1
D-97650 Fladungen
(CE identification number: 1508)

Tested the fire behaviour (DIN EN ISO 9239-1, 11925-2, 13501-1) according to System 3:

Test reports Nr: PB Hoch 111301-111302
Classification report: KB Hoch 111303

**TÜV Rheinland LGA Products GmbH
Tillystrasse 2
D-90431 Nürnberg
(CE identification number: 0197)**

Tested the emissions behavior (DIN EN ISO 13813: 2003-1) according to System 3:

Test report Nr: 3053937A

8. In case of a declaration of performance concerning a construction product for which a European Technical Assessment was issued:

Not relevant

9. Declared performance:

Performance determined in System **MASTERTOP 1273**

Essential characteristics	Performance	Harmonised technical specification
Fire classification	Bfl-s1	EN 13813: 2002
Release of corrosive substances	SR	EN 13813: 2002
Water permeability	NPD	EN 13813: 2002
Wear resistance	< AR 1	EN 13813: 2002
Bond strength	> B 1,5	EN 13813: 2002
Impact resistance	> IR 4	EN 13813: 2002
Impact sound insulation	NPD	EN 13813: 2002
Sound absorption	NPD	EN 13813: 2002
Heat insulation	NPD	EN 13813: 2002
Chemical resistance	NPD	EN 13813: 2002
Slip resistance	R9, R10	DIN 51130: 2010-10
Emissions behavior	AgBB, AFSSET conform, A+ Classification	EN 13813: 2003-1

NPD: **No Performance Determined**

When specific technical documentation in accordance with Articles 37 and 38 was used, the requirements that the product fulfills:

Not applicable

10. The performance of the product set out in numbers 1 and 2 corresponds to the declared performance set out in number 9. The manufacturer as defined in number 4 is solely responsible for drawing up this declaration of performance.



The Chemical Company

Signed for the manufacturer and in the name of the manufacturer by:

A handwritten signature in blue ink, appearing to read "Dan".

Daniel Nan
Product manager
Performance Flooring Europe

A handwritten signature in blue ink, appearing to read "Gwénaél".

Gwénaél Jan
Product manager
Performance Flooring Europe

Schaffhausen, 15.04.2013

Attachments:

Technical data sheets for use in buildings (system build-ups according to respective technical data sheets)